



400700Z

3/4 HP

GRINDER PUMP FOR SEWAGE

Pumps up to 1875 US GPH Maximum Head of 35 Feet

new grinding

technology for sewage applications to eliminate solids

PUMP CAPACITY HEAD LPH US GPH

35'10,5m	1900	500
30' 9,0m	4200	1100
20' 6,0m	6200	1635
10' 3,0m	7100	1875

Friction loss in pipe not included



REVOLUTIONARY Grinding Technology

- Oil-cooled motor
- Discharge adaptor of 2"
- Prevent maintenance and clogged pipes
- 8' electrical cord

Replaces sewage pumps and designed for a permanent installation in a sewage basin.









400700Z

3/4_{cv}

POMPE BROYEUSE POUR ÉGOUT

Pompe jusqu'à 7100 LPH Refoulement maximal de 10,5 mètres

Nouvelle technologie de déchiquetage pour application d'égout pour éliminer les solides

CAPACITÉ DE LA POMPE			
TÊTE	LPH	GPH US	
35'10,5m	1900	500	
30' 9,0m	4200	1100	
20' 6,0m	6200	1635	
10' 3,0m	7100	1875	

Pertes dues à la friction non incluses

Technologie de broyage RÉVOLUTIONNAIRE

- Moteur refroidi à l'huile
- Adaptateur de décharge de 2"
- Prévient l'entretien et l'obstruction des tuyaux
- Câble électrique de 2.4m

Remplace les pompes d'égout et est conçue pour une installation permanente dans un bassin d'égout.



